EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	237	select$5 with (transpos$5 ((chang$3 alter$3) near2 (position order$3)) permut$3) with element and (invert$3 invers$3) with element	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 17:12
L3	3805	((inver$5 rever$5) near2 (operation function)) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 18:50
L4	62	((inver$5 rever$5) near2 (operation function)) with block and ((transpos$5 permut$5 swap$4) near2 (operation function)) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 18:57
L5	11	((inver$5 rever$5) near2 (operation function)) with (element bit) with block and ((transpos$5 permut$5 swap$4) near2 (operation function)) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:11
L6	9	((inver$5) near2 (operation function)) with (element bit) same block and ((transpos$5 permut$5 swap$4) near2 (operation function)) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:14
L7	0	select$3 near4 (inver$5) near2 (element bit) same block and ((transpos$5 permut$5 swap$4) near2 (operation function)) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:12
L8	16	(inver$5) near2 (operation function) with (element bit) same block and (transpos$5 permut$5 swap$4) near2 (element bit) same block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:15

L9	115	(inver$5) near2(element bit) same block and (transpos$5 permut$5 swap$4) near2 (element bit) same block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 19:15
L10	5	(inver$5) near2(element bit) same block same (encrypt$3 encipher$3) and (transpos$5 permut$5 swap$4) near2 (element bit) same block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 20:20
L11	5	(inver$5) near2 (element bit) with block same (encrypt$3 encipher$3) and (transpos$5 permut$5 swap$4) near2 (element bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 20:34
L12	3301	(select$3 choos$3 chosen chose) with (inver$5) near2 (element bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 20:35
L13	39	(select$3 choos$3 chosen chose) with (inver$5) near2 (element bit) same (transpos$5 permut$5 swap$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:02
L14	38805	(inver$5) and (transpos$5 permut$5 swap$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:02
L15	2634	(inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:02

EAST Search History

L16	1754	(inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3 and series	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:02
L17	1696	(inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3 and series and block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:03
L18	1433	(inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3 and series and block and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:04
L19	612	select$5 same (inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3 and series and block and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:04
L20	666	(select$5 choos$3 chosen chose) same (inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3 and series and block and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:19
L21	168	(select$5 choos$3 chosen chose) same (inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3 with block and series and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 21:29
L22	128	(select$5 choos$3 chosen chose) same (inver$5) and (transpos$5 permut$5 swap$4) and encrypt$3 with block and series and key and (inver$5) near4 (output bit element symbol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:01

EAST Search History

L23	622	(inver$5) near2 encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:33
L24	18	22 and 23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:09
L25	604	23 not 22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:13
L26	63177	(inver$5) near2 encrypt$3 with "not" (decrypt$3 decipher$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:11
L27	183	23 not 22 and inverse near2 (function operation) with (encrypt$3 encipher$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:15
L28	1791	(inver$5) with encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:34
L29	83	(inver$5) near2 (element bit) with encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 23:02

L30	80	29 not 27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:35
L31	82	29 not 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 22:35
L32	16	(complement$4) near2 (element bit) with encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 23:02
S1	540	380/37.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 15:58
S4	0	380/37.ccls. and (invers$3 invert$3) and (transpos43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 15:59
S5	0	(invers$3 invert$3) and (transpos43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 15:59
S6	31	380/37.ccls. and (invers$3 invert$3) and (transpos$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:00

S7	17	380/37.ccls. and (invers$3 invert$3) and (transpos$3) and transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:00
S8	6837	380/37.ccls. and (invers$3 invert$3) and (transpos$3) and transform (block with cod$3 with different)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:01
S9	1	380/37.ccls. and (invers$3 invert$3) and (transpos$3) and transform and (block with cod$3 with different)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:01
S10	8	380/37.ccls. and (invers$3 invert$3) and (transpos$3) and transform and (block with cod$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 17:40
S11	3	(invers$3 invert$3) with (transpos$3) and transform and encrypt$3 with block with transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 17:44
S12	1	(invers$3 invert$3) with (transpos$3) and (transform mask$3) with key and encrypt$3 with block with transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 17:45
S13	73	(transform mask$3) with key and encrypt$3 with block with transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 18:49

S16	2	select$5 with (transpos$5 ((chang$3 alter$3) near2 (position order$3)) permut$3) with element and (invert$3 invers$3) with element and (encrypt$3 encipher$3) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:39
S17	12	select$5 with (transpos$5 ((chang$3 alter$3) near2 (position order$3)) permut$3) with (data element) and (invert$3 invers$3) with (data element) and (encrypt$3 encipher$3) with block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 19:51